



RHOMAR WATER

Heat Transfer Fluids • Hydronic System Solutions

RhoTherm™ 921 RTU

Inhibited Ethylene Glycol Heat Transfer Fluid for Hydronic Heating and Cooling Systems

- *Premixed and Ready-to-Use (RTU) System Fluid*
- *Blended with Virgin Ethylene Glycol and D.I. Water*
- *Contains Non-Phosphate Corrosion and Scale inhibitor Additives*
- *Protects Multiple Metals, Including Brass, Cast Iron, Copper and Stainless Steel*
- *Provides Years of Corrosion Protection*
- *Helps Keep Heat Exchange Surfaces Clean*
- *Maximizes System Efficiency*
- *Can Be Custom Blended to Any Glycol % As Needed By Customer*
- *Customized Freeze or Burst Protection*



Available in a variety of container sizes.

Rhomar Water, 2103 E Rockhurst St., Springfield, MO 65802
1-800-543-5975 • www.RhomarWater.com



RHOMAR WATER

Heat Transfer Fluids • Hydronic System Solutions

RhoTherm™ 921 RTU

DESCRIPTION:

RhoTherm™ 921 RTU is a premixed VIRGIN ETHYLENE GLYCOL antifreeze and heat transfer fluid specially blended with non-phosphate corrosion inhibitor, **Rhomar Water's Pro-Tek® 921**. The glycol % for these customizable Ready-To-Use (RTU) blends can be tailored to your project.

ADVANTAGES:

RhoTherm™ 921 RTU can be used in hydronic heating and cooling systems. **RhoTherm™ 921 RTU** can be custom blended to provide freeze protection and burst protection depending on the customers needs. The additives in **RhoTherm™ 921 RTU** can help protect system metals including brass, cast iron, copper and stainless steel from corrosion and scale deposits.

DIRECTIONS:

All systems, new and existing, should be thoroughly cleaned and flushed using **Rhomar Water's Hydro-Solv™** cleaner prior to adding antifreeze. Properly cleaning the system will reduce the rate of corrosion and prolong the life of the antifreeze. **RhoTherm™ 921 RTU** should be added to a clean system undiluted. Mixing with water will reduce the freeze/burst protection and the corrosion inhibitors.

NOTICE:

Any remaining fluid in the system will dilute the **RhoTherm™ 921 RTU** product resulting in a lower glycol percentage.

ATTENTION:

Variations of product color may be caused by manufacturing conditions, UV or sunlight exposure, or mixing with chlorinated water.

REORDERS:

Call **800-543-5975** or visit our website at www.RhomarWater.com.